WORLD INTELLECTUAL PROPERTY ORGANIZATION



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:
A23G 9/00
A2 (43) International Publication Number: WO 98/09534
(43) International Publication Date: 12 March 1998 (12.03.98)

(21) International Application Number: PCT/EP97/04573

(22) International Filing Date: 15 August 1997 (15.08.97)

(30) Priority Data:

96306534.7 9 September 1996 (09.09.96) EP
(34) Countries for which the regional or
international application was filed: GB et al.

(71) Applicant (for AU BB CA GB GH IE II. KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZW only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB).

(71) Applicant (for all designated States except AU BB CA GB GH
IE II. KE LC LK LS MN MW NZ SD SG SL SZ. TT UG
ZW): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013
AL Rotterdam (NL).

(72) Inventors: BINLEY, Gary, Norman; 15 Raven Drive, Barton Seagrave, Kettering, Northampton NN15 6SD (GB). BURMESTER, Sabina, Silvia, Hanel; 71 Woodlark Road, Cambridge CB3 0HT (US). CHIARANUSSATI, Nuj; 23/F Tower 2, Clovelly Court, 12 May Road, Hong-kong (CN). WINCH, Paul, Jonathan; 13457 Velp Avenue, Saumico, WI 54173 (US). WIX, Loyd; 93 Hayway, Rushden, Northamptonshire NN10 6AQ (GB).

(74) Agent: KIRSCH, Susan, Edith; Unilever plc, Patent Division, Colworth House, Shambrook, Bedford MK44 1LQ (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: FROZEN PRODUCT AND PROCESS FOR THE PREPARATION THEREOF

(57) Abstract

7

A frozen aerated product having no added emulsifier and preferably no added stabiliser and having a fat content of from 6 to 18 % which satisfies the following conditions: (a) % DF > [2.29 * %F]; (b) % ML100 < 80 % - [5.93 * %F]; and (c) an air cell size distribution such that the mean air cell size is less than 40 μ M with a standard deviation of 20 μ M; wherein DF = destabilised fat, F = fat, ML100 = mass loss after 100 minutes.

FOR THE PURPOSES OF INFORMATION ONLY

THE SECOND STREET

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	A Shami'r	ES	Spain	LS	Lesotho	SI	Slovenia
AL.	Albania	E3 F1	Finland	LT	Lithuania	SK	Slovakia
AM	Arthenia			w	Luxenbourg	SN	Senegal
AT	Austria	FR	France	LV		SZ.	Swaziland
ΑU	Australia	GA	Gabon		Latvia	TD	Chad
AZ.	Azerbaijan	GB	United Kingdom	MC	Monaco	TG	
BA	Bosnia and Herzegovina	CB	Georgia	MD "	Republic of Moldova		Togo
88	Barbados	GII	Ghana	MG	Madagascur	TJ	Tajikistan
BE	Bélgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Paso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	11	Trinidad and Tobago
BJ	Benin	1R	freland	MN	Mongolia ,		Ukraine
BR	Brazil	IL	iarael	MR	Mauritania	UG	Uganda
BY	Belarus	ls.	leeland	MW	Malawi	US	United States of America
CA	Canada	П	Italy	MX	Mexico	UZ	Uzbekistan
CF:	Central African Republic	JP	Japan	NE.	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL.	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzsian	NO	Norway	zw	Zimbebwe
CI.	Côte d'Ivoire	KP	Democratic People's	NZ.	New Zealand		
CM	Camemon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Kores	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
		ic.	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	ũ	Liechtenstein	SD	Sudan		
DE	Germany		Sri Lanka	SE	Sweden		
DK	Denmark	LK		SG	Singapore		
EE	Estonia	I.R	Liberia	36	3 mg mp. c		

structure.

10

15

20

25

30

FROZEN PRODUCT & PROCESS FOR THE PREPARATION THEREOF

Technical Field of the Invention

The invention relates to a high quality frozen aerated product, particularly an ice cream product and the manufacture thereof, wherein the frozen aerated product requires no addition of emulsifiers.

Background to the Invention

Traditionally frozen aerated products such as ice cream products contain stabilisers and emulsifiers in order to provide the desired quality product. However, it is now preferred to provide such products without additives. To date products provided without added stabilisers and emulsifiers have been inferior in quality in that they are fast melting, have a low percentage of destabilised fat, and are unstable to heat shock and hence quickly become very icy. Furthermore, such products have a reduced creaminess perception.

Clearly it would be advantageous to be able to provide a product having no added emulsifiers, and preferably no added stabilisers or emulsifiers which nevertheless retains its high quality.

Frozen aerated products such as ice cream are usually produced by a continuous process comprising the following steps:

- a) homogenising of ingredients
- b) pasteurisation
- c) cooling
- d) freezing and aeration
- 35 e) extrusion
 - f) (optional) deep freezing

Normally the homogenisation step takes place in a first vessel, followed by continuous pasteurisation followed by cooling. The mixture is then transferred to a freezer, for example a scraped surface heat exchanger where the product is frozen to a temperature of approximately -6°C followed by quiescent cooling in a hardening tunnel.

The applicants have surprisingly found that if the product is subjected to cooling and shearing in a screw extruder prior to extrusion and any optional deep freezing, a high quality product may be prepared even in the absence of emulsifiers and preferably also in the absence of stabilisers.

Screw extruders such as single screw and twin screw extruders are widely used in the chemical industry for example in the production of plastics. It has also been proposed to use single screw or twin screw extruders in the freezing of ice-cream, see for example EP 561 118 and EP 401 512.

EP 713 650 discloses a method for manufacturing frozen aerated products in which the composition to be frozen is mixed, aerated and cooled to a temperature equal or less than -8°C prior to extrusion in a single twin screw device.

However, to date it has not been recognised that such screw extruders can advantageously be used to prepare a high quality frozen aerated product having no added emulsifiers or stabilisers.

25

30

w.

15

20

25

35

Disclosure of the Invention

Accordingly the invention provides a frozen aerated product comprising;

(i) 6 to 18% fat

teaning (ii) 0% emulsifier

(iii) 0 to 1.0% stabiliser

which satisfies the following conditions:

- (a) DF > [2.29 * F];
- (b) % ML100 < 80% [5.93 * %F]; and
- (c) An air cell size distribution such that the mean air cell size is less than 40 μM with a standard deviation of 20 $\mu M_{\rm i}$

wherein DF = destabilised fat
F = fat
ML100 = mass loss after 100 minutes

Preferably the product has from 0 to 0.5% stabiliser, more preferably from 0 to 0.25 % stabiliser, even more preferred from 0 to 0.15% stabiliser, most preferred 0% stabiliser. Products having no stabiliser preferably have an ice crystal distribution such that each ice crystal has less than 1.75 neighbouring crystals touching in a 2D plane;

A convenient process for the preparation of the frozen aerated product according to the invention comprises subjecting the product to be frozen to shear forces and cooling in a screw extruder prior to extrusion and optional deep freezing.

The acrew extruder can be either a single or multiple screw extruder, preferably however a single or twin screw extruder is used.

30

Preferably the product is extruded at a temperature of from -10°C to -30°C, more preferably from -10°C to -25°C, most preferably -10°C to -15°C.

The screw extruder may be employed after the conventional freezing and aeration step within for example a scraped surface heat exchanger. Alternatively all steps prior to extrusion, including if desirable homogenisation and pasteurisation, may be conducted within the screw extruder as described in either EP 713 650 or our copending European patent application EPA 96302718.0

Prozen aerated products according to the invention have been shown to have an increased perception of fat, characterised by increases in creamy texture, thickness, smoothness, initial smoothness and reduction of ice crystal quantity in mouth and ice crystal size in mouth.

The percentage destabilised fat was measured using a solvent extraction technique. 10g of ice cream was melted for 4 hours at ambient temperature before extraction with petroleum solvent. The solvent was evaporated and the extracted destabilised fat was weighed, this was expressed as a percent of the weight of the total fat in the ice cream.

The percentage mass loss after 100 minutes was determined by measuring the weight of melted ice cream every minute over the required time period.

The air cell distribution and ice crystal distribution were determined using low temperature scanning electron microscopy (SEM).

The mean air cell size measured for the products of the invention is thought to be important for providing products having a creamy texture. Conventionally prepared ice cream,

which is stabilised and emulsified will have a mean air cell size of from 60 to 100 cm.

Preferably the frozen aerated product of the invention is a milk or fruit based frozen aerated confection such as ice cream, frozen yoghurt, sherbet, sorbet, and frozen custard.

Suitable ingredients and their preferred levels for such a frozen aerated confection are for example: Ice cream/custard: milk fat 6-18 wt%, milk solids non fat 2 to 15 wt%, sugar or other sweeteners 0.01 to 35 wt%, flavours 0-5 wt%, water 30 to 85 %wt.

Any stabiliser used in ice cream is suitable, for example
Locust Bean Gum (LBG), Carrageenan, Guar gum, gelatin, CMC
(Carboxy methyl cellulose) gum, pectin, algin products, and
mixtures thereof.

Examples

Example 1

An ice cream mixture having the following formulation:

12% Fat

12% Skimmed Milk Powder

15% Sucrose

61% Water

10

3/

was prepared in the conventional way and initially frozen in a standard ice cream freezer (scraped surface heat exchanger, SSHE) to a temperature of -6°C. Air was added to the mix in a ratio of 1:1.

15

The outlet of the SSHE was connected by pipework to a single screw extruder with a refrigerated jacket which continued to freeze the ice cream to a temperature of < -10°C. The single screw extruder had the following geometry:

Barrel length 0.75m Barrel diameter 0.2m

Screw pitch 0.135m (2 start)

Screw Channel depth 15 mm

25

20

The single screw extruder was controlled to maintain a constant inlet pressure of 7 barg and a constant torque on the screw of 1500 Nm. The outlet pressure was 8 barg.

An ice cream product was obtained which was emulsifier and stabiliser free having 28 % destabilised fat, 8.5% mass loss after 100 minutes, and the mean air cell size was $37\mu\text{M}$. Each ice crystal had less than 1.5 neighbouring crystals touching in a 2D plane.

35

Furthermore, the ice-cream was of high quality having an excellent creamy texture and smoothness.

30

* *

Example 2

An ice cream mixture having the following formulation:

5	Ingredient	<u> </u>
	Butteroil	8.00
	Skimmed Milk Powder	10.00
	Sugars	19.58
	Stabiliser	0.16
10	Flavour	0.01
	Water	to 100

was prepared in the conventional way and initially frozen in a standard ice cream freezer (scraped surface heat exchanger, SSHE) to a temperature of -6°C. Air was added to the mix in a ratio of 1:1.

The outlet of the SSHE was connected by pipework to a single screw extruder with a refrigerated jacket which continued to freeze the ice cream to a temperature of < -10°C. The single screw extruder had the following geometry:

	-	
	Barrel length	0.75m
	Barrel diameter	0.2m
25	Screw pitch	0.135m (2 start)
	Screw Channel depth	15 mm

The single screw extruder was controlled to maintain a constant inlet pressure of 6 barg and a constant outlet pressure of 4.5 barg. The flow rate was 225 L/hr, and the torque on the screw was 1800Nm.

An ice cream product was obtained which was emulsifier free having 23 % destabilised fat, 22% mass loss after 100 minutes, and the mean air cell size was $35\mu M$.

Furthermore, the ice-cream was of high quality having an

excellent creamy texture and smoothness. The quality of the ice cream was comparable to a conventional product containing 0.3% of emulsifier (a mono/di glyceride blend).

Latino Alle Beneville

1

02 31

dā dā

CLATMS

*17.0

A frozen aerated product comprising:

15 7222 (i) 6 to 18% Fat;

- (ii) 0% Emulsifier
- (iii) 0 to 1.0% Stabiliser

which satisfies the following conditions:

10

手

* - 4

- (a) % DF > [2.29 * %F];
- (b) % ML100 < 80% [5.93 * %F]; and
- (c) An air cell size distribution such that the mean air cell size is less than 40 μM with a standard deviation of 20 μM ;

wherein DF = destabilised fat

F = fat

ML100 = mass loss after 100 minutes

-20

- 2. A frozen aerated product according to claim 1 wherein the product comprises from 0 to 0.5%, preferably 0 to 0.25% most preferably form 0 to 0.15% stabiliser.
- 3. A frozen aerated product according to claim 1 or claimwherein the product comprises 0% stabiliser.
- 4. A process for the preparation of a frozen aerated product according to any preceding claim wherein the product to be frozen is subjected to shear forces and cooling in a screw extruder prior to extrusion and optional deep freezing.
- 5. A process according to Claim 4 wherein the product to be frozen is initially cooled to approximately -6°C in a freezer before transferring into the screw extruder.

1

- 6. A process according to Claim 5 wherein the freezer is a scraped surface heat exchanger.
- 7. A process for the preparation of a frozen aerated product according to Claim 1, 2 or 3 comprising the steps of
 - (a) homogenising of ingredients;
 - (b) pasteurisation;
 - (c) cooling;
- 10 (d) freezing and aeration;
 - (e) extrusion; and
 - (f) (optional) deep freezing;

wherein steps (a) to (d) are conducted in a screw extruder.

- A process according to any one of claims 4 to 7 wherein the screw extruder is a single screw extruder.
- 9. A process according to any one of claims 4 to 7 wherein the screw extruder is a twin screw extruder.
- 10. A process according to any one of Claims 4 to 7 wherein the product is extruded at a temperature of from -10°C to -30°C, preferably -10°C to -25°C, most preferably -10°C to -15°C.

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Runeau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT) (51) International Patent Classification 6: (11) International Publication Number: WO 98/09534 A23G 9/20, 9/02 (43) International Publication Date: 12 March 1998 (12.03.98) (72) Inventors: BINLEY, Gary, Norman: 15 Raven Drive, Bar-(21) International Application Number: PCT/EP97/04573 ton Seagrave, Kettering, Northampton NN15 6SD (GB). BURMESTER, Sabina, Silvia, Hanel; 71 Woodlark Road. (22) International Filing Date: 15 August 1997 (15.08.97) Cambridge CB3 OHT (US). CHIARANUSSATI, Nuj. 23/F Tower 2, Clovelly Court, 12 May Road, Hong-kong (CN). WINCH, Paul, Jonathan; 13457 Velp Avenue, Saumico, WI (30) Priority Data: 54173 (US). WIX, Loyd; 93 Hayway, Rushden, Northamp-96306534.7 9 September 1996 (09.09.96) EP tonshire NN10 6AQ (GB). (34) Countries for which the regional or

GB et al.

(71) Applicant (for AU BB CA GB GH IE IL KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZW only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BO (GB).

international application was filed:

(71) Applicant (for all designated States except AU BB CA GB GH IE IL KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZW): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).

- (74) Agent: KIRSCH, Susan, Edith; Unilever plc, Patent Division, Colworth House, Shambrook, Bedford MK44 1LQ (GB).
- (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(88) Date of publication of the international search report: 14 May 1998 (14.05.98)

- (54) Title: FROZEN PRODUCT AND PROCESS FOR THE PREPARATION THEREOF
- (57) Abstract

A frozen aerated product having no added emulsifier and preferably no added stabiliser and having a fat content of from 6 to 18 % which satisfies the following conditions: (a) % DF > [2.29 * %F]; (b) % ML100 < 80 % - [5.93 * %F]; and (c) an air cell size distribution such that the mean air cell size is less than 40 µM with a standard deviation of 20 µM; wherein DF - destabilised fat, F - fat, ML100 mass loss after 100 minutes.

FOR THE PURPOSES OF INFORMATION ONLY

named to the later throne black black

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	A Dania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Ameria	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
ΑŪ	Australia	GA	Gabon	LV	Lavia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MÇ	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	"Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	T.J	Tajikistan
BK	Belgitum	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	· GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Becin	DR.	Ireland	MN	Mongolia	, UA	Vkraine
BR	Brazil	IL.	Israel	MR	Marritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	17	Italy	MX	Mexico	UZ	Uzbekistan
CP.	Central African Republic	IP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	2W	Zimbabwe
CI.	Côte d'Ivoire	KP	Democraric People's	NZ	New Zealand		
CM	Cameroon	-	Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ.	Kazakstan	RO	Romania		
cz	Czech Republic	ic	Saint Lucia	RU	Russian Federation		
DE	Germany	ш	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EB	Egonia	LR	Liberia	SG	Singapore		

Internal 1 Application No PCT/EP 97/04573

A. CLASSI IPC 6	FICATION OF SUBJECT MATTERA23G9/20 A23G9/02	194 197 Lawr	* * * * * * * * * * * * * * * * * * *
According to	o Infernational Patent Classification(IPC) or to both national classification	Man and IDC	
	SEARCHED	INCHES ITO	•
	currentation searched (classification system followed by classification A23G	in symbols)	
Documentat	ion searched other than minimum documentation to the extent that se	uch documents are included in the fields sea	rched
		บ้ายเป็นสี#ถึงเรื่อย	
Electronic d	ata base consulted during the international search (name of data base	se and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the rela	vant passages	Relevant to claim No.
X	GB 2 019 187 A (UNILEVER) 31 Octo see page 1, line 16 - line 30 see page 1, line 53 - line 55	ber 1979	1-5,10
A	GB 979 468 A (N. GAIETY) 16 July see the whole document	1963	1
A	GB 948 456 A (N. GAIETY) 5 Februa see the whole document	ry 1964	1
	-	-/	
			•
X Funt	ner documents are ested in the continuation of box C.	Patent family members are listed in	annex.
* Special ca	tegories of cited documents :	"T" later document published after the interr	
	int defining the general state of the art which is not ered to be of particular relevance	or priority date and not in conflict with the cited to understand the principle or the invention	
"E" earlier o	document but published on or after the international ate	"X" document of particular relevance; the cli cannot be considered novel or cannot t	simed invention
which	nt which may throw doubts on priority claim(s) or is cited to establish the publication date of another	Involve an inventive step when the doc "Y" document of particular relevance; the cla	ument is taken alone
O docume	n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	cannot be considered to involve an involve document is combined with one or mor	entive step when the
other r "P" docume	ort published prior to the international filing date but	ments, such combination being obvious in the art.	s to a person skilled
	an the priority date claimed actual completion of theinternational search	"&" document member of the same patent for Date of mailing of the international search	
	March 1998	13/03/1998	
Name and n	nalling address of the ISA	Authorized officer	
	European Patent Office, P.B. 5818 Patentiaan 2 NL - 2290 HV Rijawijk		
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Guyon, R	

Form PCT/ISA/210 (ascound aheet) (July 1992)

3

1.487年

7

Internati Application No
PCT/EP 97/04573 ~

		CT/EP 97/04573 _~		
	on) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category :	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.		
X	EP 0 559 316 A (MORINAGA MILK INDUS.) 8 September 1993 See page 10, line 21 - line 35; tables 1,2,4	1-3		
Y Y	see page 5, line 7 - line 10 see page 2, line 30-31; claims; examples 3,7,9	4-6,8		
Y	EP 0 351 476 A (GOAVEC) 24 January 1990 see column 2, line 34-36; claims; examples 1-6 see column 5, line 44 - column 6, line 7 see column 1, line 1 - line 52	4-6,8		
Υ	DE 25 38 858 A (POVIGNA TARCISIO) 10 March 1977 see the whole document	7,10		
E	WO 97 39637 A (UNILEVER) 30 October 1997 see the whole document	1-10		
A	GB 1 439 143 A (UNILEVER) 9 June 1976 see examples 47-49,75-86	1		
A	WO 92 11769 A (THE PILLSBURY CORP.) 23 July 1992 see claims; examples 1,2,6	1-5,10		
Y	EP 0 713 650 A (NESTLE) 29 May 1996 cited in the application see the whole document	1,4-6, 8-10		
Y	EP 0 401 512 A (F. ROGGE ET AL.) 12 December 1990 see column 3, line 53 - column 4, line 17 see column 7, line 30-42 see page 4, column 49-54 see column 5, line 48 - column 6, line 33	1,4-6, 8-10		
Α ,	PATENT ABSTRACTS OF JAPAN vol. 13, no. 423 (C-638), 20 September 1989 -& JP 01 160458 A (NAKAMURA TAMOTSU), 23 June 1989, see abstract	1		
A	WO 93 21777 A (UNILEVER) 11 November 1993 see page 111, line 10-16; examples	1-3		
A	EP 0 438 201 A (CAMPINA MELKUNIE) 24 July 1991 see the whole document	1-3		
	-/			

Internatic Application No
PCT/EP 97/04573 _~

(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT			
ategory	Citation of document, with indication where appropriate, of the relevant passages	Ret	evant to sam No.	
	EP 0 561 118 A (E. WINDHAB ET AL.) 22 September 1993 see the whole document Control Control		1,4-6, 8-10	
			•	
		,	·	

Internati **Application No** to ... mation on patent family members PCT/EP 97/04573 Patent document Publication Patent family **Publication** cated in search report date member(s) date GB 2019187 A 31-10-79 AT 375817 B 10-09-84 AU 4640979 A 01-11-79 BE 875826 A 24-10-79 CA 02-02-82 1117355 A CH 652567 A 29-11-85 ĐΕ 2916395 A 31-10-79 DK 166879 A 25-10-79 FR 2423986 A 23-11-79 LU 81186 A 07-11-79 NL 7903236 A 26-10-79 SE 7903559 A 25-10-79 US 4219581 A 26-08-80 ZA 7901935 A 26-11-80 GB 979468 A NONE GB 948456 NONE EP 559316 08-09-93 JР 5328905 A 14-12-93 CA 2087648 A 23-07-93 DE 559316 T 24-02-94 US 5403611 A 04-04-95 EP 351476 24-01-90 All 603693 B 22-11-90 ΑU 2100088 A 22-02-90 US 5024066 A 18-06-91 DE 2538858 A 10-03-77 NONE WO 9739637 A 30-10-97 AU 2509097 A 12-11-97 GB 1439143 A 09-06-76 AT 335831 B 12-04-77 AU 5664173 A 12-12-74 BE 800802 A 12-12-73 CA 1028890 A 04-04-78 DΕ 2329816 A 10-01-74 FR 2187234 A 18-01-74 JP 1162650 C 10-08-83 JP 49132264 A 18-12-74 JP 57049180 B 20-10-82

Form PCT/ISA/210 (patent family annex) (July 1992)

Insurmation on patent family members

Internati Application No
PCT/EP 97/04573 _-

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 1439143 A	4,770 , 23	NL 7308106 A,	
WO 9211769 A	23-07-92 - 1.0	US 5112626 A US 5175013 A AU 653770 B AU 9148791 A CA 2099243 A, DE 69108569 D DE 69108569 T EP 0565596 A	12-05-92 29-12-92 13-10-94 17-08-92 C 01-07-92 04-05-95 03-08-95 20-10-93
N(-20-2)	A ZOTA ET QU	JP 6506825 T	04-08-94
	29-05-96	AU 3770095 A CA 2163284 A CN 1132595 A CZ 9503076 A FI 955594 A HU 74491 A JP 8205783 A NO 954687 A PL 311434 A SG 35034 A SK 144495 A	30-05-96 24-05-96 09-10-96 17-07-96 24-05-96 28-01-97 13-08-96 24-05-96 27-05-96 01-02-97 05-06-96
EP 401512 A	12-12-90	DE 3918268 C AT 116528 T AU 5670190 A W0 9014775 A ES 2066900 T	26-07-90 15-01-95 07-01-91 13-12-90 16-03-95
WO 9321777 A	11-11-93	AT 155650 T AU 667111 B AU 4265793 A CA 2134125 A CN 1079110 A DE 69312482 D DE 69312482 T EP 0637207 A FI 944988 A NO 944022 A	15-08-97 07-03-96 29-11-93 11-11-93 08-12-93 04-09-97 15-01-98 08-02-95 24-10-94 24-10-94

1. 1. 2. Mar.

LEL

(E)(E)

·

in. matten on patent family members

Internati Application No PCT/EP 97/04573 _-

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9321777 A		US 5486373 A - ZA 9302842 A	23-01-96 24-10 - 94
EP 438201 A	24-07-91	NL 9000101 A DE 69101561 D	16-08-91 11-05-94
		DE 69101561 T JP 4218340 A	28-07-94 07-08-92
1.51.	2 23-2 21 22	US 5308628 A	03-05-94
EP 561118 A	22-09-93	DE 4202231 C	09-06-93
	The second secon	US 5345781 A	13-09-94 15-10-97